Stock up now because your research can't wait. You are passionate for science.

SPECIAL OFFERS

Pipettes & Lab Equipment

Valid until 2024-12-13



Passionate for science.

• • • •





• • • • • • • • • •

GuardOne® Workstation.



from: 28,766 DKK

DESIGNED WITH THE ENVIRONMENT IN MIND Long-life consumables reduces waste. Minimal packaging volume reduces transportion needs. Minimal power consumption.

AVOID CROSS-CONTAMINATION & THE RISK OF DUPLICATING WORK

Protect your valuable samples and reagents¹⁾ to help prevent both the extra time, cost and waste involved when having to duplicate contaminated work. Starlab's GuardOne[®] Workstation provides the ideal clean and controlled environment. GuardOne® is perfect for your PCR / gPCR applications or any other application that requires a controlled, clean environment.

GuardOne® has been designed with convenience in mind. All functions are controlled via the glove compatible, easy to use touchscreen. Tool-free HEPA filter exchange and UV lamp exchange in just 2 minutes!





- One-touch QuickStart / QuickStop settings
- Efficient UV_{245 nm} decontamination with timer function
- Efficient, class H14 HEPA filter with pre-filter provides ISO class 5 working environment²⁾
- Real-time airflow measurement²⁾
- Life-span monitoring of consumables
- Virtually maintenance-free
- Easy to clean
- Easy, tool-free 15-minute assembly

¹⁾GuardOne® is not designed to protect the user. ²⁾Laminar flow models only.



2 **Special Offers**

Starlab Vortex Mixer.

GREAT FEATURES. GOOD VIBRATIONS!

The new Starlab Vortex Mixer is ideal for the gentle mixing of samples right up to vigorous vortex mixing and the resuspending of cells or chemical pellets.

- Unique, glove compatible touch screen
- Precise vortexing speeds (300 to 3,500 rpm)
- One-touch pre-set options for speed / time
- Touch or continuous operation
- End of run audible alarm
- Power-saving sleep mode
- Optional adapters available separately to mix up to 15 microcentrifuge tubes or one microplate (up to 1,500 rpm)

Vortex Mixer. Art. No. \$8010-0000

List: 3.910 DKK OFFER: 3.023 DKK





• • •

The Starlab Aspirator.

USE TWO HAND CONTROLLERS WITHOUT ANY LOSS OF PERFORMANCE

- Powerful pump that can operate two hand controllers without any loss of performance
- Auto ON-OFF pump switch
- Low noise emission for a quieter working environment
- Supplied with everything you need to get started
- Versatile! A whole range of accessories also available
- The perfect partner for use with Starlab's bottle top filtration system

N2400-9000 includes everything you need to get started: Aspirator. 4 Litre Polypropylene Bottle with Protection Filter and Inlet Pipe. Hand Controller, including 2.5 m Tubing, a Wall Mount, an Adapter for Pipettes, and an Adapter for Pipette Tips.

0 0 0 0 0 0

DESIGNED FOR THE SAFE AND EFFICIENT ASPIRATION OF FLUIDS

- Vacuum level and suction power is adjustable in 8 steps (150 to 850 mbar) for safe and reproducible working
- The chemically-resistant pump automatically switches on/off to reduce noise level in the workplace
- You can also use the Aspirator as a mobile vacuum source for sterile filtration and solid phase extraction
- Additional hand controllers and a range of other accessories are available. See website for details

Discover our range of Aspiration Pipettes

Aspirator Art. No. N2400-9000 List: 19.310 DKK OFFER: 15.446 DKK

Special Offers

• • •

FULLY AUTOCLAVABLE ergonomically designed hand controller



The Minicentrifuge.

QUICK START just close the lid to start spinning!




AHEAD OF THE CURVE!

Ideal for all your quick spin-downs, the Starlab Minicentrifuge is not all about style, it also has substance! This is a compact and solid unit that delivers a quiet, smooth operation and a maximum speed of 6,500 rpm.

- Quick start on lid closure
- Magnetic lid lock
- One-touch STOP for fast braking and automatic lid release

SUPPLIED WITH TWO ROTORS





Tube Rotor holds up to eight microcentrifuge tubes or eight conical or skirted screw cap microtubes





PCR Strip Rotor holds two, 0.2 ml 8-strips or 32 x 0.2 ml single tubes.





WATCH VIDEO



- List: 2.939 DKK
- **OFFER: 2,100 DKK**



aids easy,

The versatile Mixer HC.

ONE SMALL DEVICE, SO MANY USES.

The Mixer HC is a smart bit of kit that does the work of several other pieces of equipment in the lab. Easy to use and to program, the Mixer HC will become an invaluable benchtop companion to help speed up your laboratory tasks. You will wonder how you ever managed without one!



Mixer HC Art. No. S8012-0000 (Excludes Thermoblock)

OFFER: 16.862 DKK



WATCH VIDEO

NINE EXCHANGEABLE THERMOBLOCKS

Use the Mixer HC with all popular tubes and plates.

Image: constraint of the second sec			
			////
Microcentrifuge Tubes 58012-0010 ¹⁾	24 x 1.5 ml Microcentrifuge Tubes S8012-0011 ¹⁾	24 x 2.0 ml Microcentrifuge Tubes, Round Bottoms S8012-0012 ¹⁾	24 x 2.0 ml Microcentrifuge Tubes Ø 12 mm, V-Bottoms S8012-0013
	List: 5.700 DKK 4.364 DKK	List: 5.700 DKK 4.364 DKK	List: 7.643 DKK 5.414 DKK
			fiiiii Cor
Preparation Tubes	8 x 15 ml Conical Centrifuge Tubes S8012-0015 List: 5.700 DKK	4 x 50 ml Conical Centrifuge Tubes S8012-0016 List: 5.700 DKK	24 x 1.5/2.0 ml Cryo Tubes 58012-0017 List: 5.700DKK
4.364 DKK	4.364 DKK	4.364 DKK	4.364 DKK
			8
Micro/Deepwell Plate, with Lid	Adapter Plate 96 x 0.2 ml Tubes or one PCR plate (Use with S8012-0018)	ISO-Rack: 24 x 0.5 ml Microcentrifuge Tubes	ISO-Rack: 24 x 1.5/2.0 ml Microcentrifuge Tubes
S8012-0018	S8012-0019 List: 2.005 DKK	S8012-0020	S8012-0021
5.414 DKK	1.480 DKK	607 DKK	607 DKK
		k. Tubes not included.	
	Includes 150 Nac	R. rabes not metaded.	

List: 24.729 DKK



Shaking & Mixing.

ESSENTIAL EQUIPMENT FOR DAILY TASKS

Oribtal Shaker.



- Speed range: 100–500 rpm
- LCD displays for speed & time Continuous or timed mixing
- Supplied without platform

Orbital Shaker Art. No: N2400-8030 (excludes platform) List: 12.385 DKK **OFFER: 8.476 DKK**

3D/Rocking Shakers.



- See saw rocking or 3D mixing
- Speed range: 10 –70 rpm
- LCD displays for speed & time
- Continuous or timed mixing.
- Supplied with platform with bungee cords

Rocking Shaker Art. No: N2400-8010 List: 14.091 DKK **OFFER: 9.639 DKK**



Platform with clamping rolls (for use with Orbital. 3D and Rocking Shakers) Art. No: N2400-8011 List: 3.404 DKK **OFFER: 2.302 DKK**




Platform with rubber mat and bungee cords (for use with Orbital. 3D and Rocking Shakers)

Art. No: N2400-8021 List: 3.400 DKK **OFFER: 2.302 DKK**

3D Rocking Shaker Art. No: N2400-8020 List: 14.091 DKK **OFFER: 9.639 DKK**

Rotator Mixer. Art. No. N2400-5000 List: 10.528 DKK **OFFER: 6.489 DKK**



- Speed range: 1 100 rpm
- Programmable
- Three different motions
- Variable speed and timer
- Low profile and small footprint



Vertical Rotation 360° vertical motion Platform direction for time period of changes in turns (turning angle 1-90°) 0-250 seconds, for 0-250 seconds, or or non-stop. non-stop.

Vibration **Reciprocal Motion**

Pause Platform direction Same as reciprocal changes in turns, incl. motion, plus additional a temporary motion vibration (turning angle stop of 1-5 seconds 1-5° for 1-5 seconds. (in conjuntion with reciprocal motion only).



Special Offers



Mixing & Stirring. ESSENTIAL EQUIPMENT FOR DAILY TASKS



Use for mixing and shaking any skirted plate with a SBS footprint, and for resuspending pellets.

- Speed range: 0 1500 rpm
- Stepless speed control
- Range of accessories available

Microplate Mixer.

Art. No. N2400-8040

List: 5.036 DKK OFFER: 3.352 DKK



An economical magnetic stirrer.

- Speed range: 100 1500 rpm
- Stirring volume up to 3 litres
- Supplied with 1 x 40 mm stir bar

Magnetic Stirrer.

Art. No. N2400-2010

List: 1.957 DKK OFFER: 1.493 DKK



Fast temperature ramping saves you time!

- Speed range: 200 1500 rpm.
- Temperature range: ambient to 280 °C (1°C increments)
- Stirring volume up to 3 litres
- Supplied with 1 x 40 mm stir bar

Magnetic Stirrer with Heating.

Art. No. N2400-3010

List: 3.795 DKK OFFER: 2.884 DKK



Rolling.



Built for continuous operation. Suitable for applications such as hybridisation.

- Simultaneous rolling and tilting motion
- Speed control up to 70 rpm
- Six rollers holds load up to 4 kg

Tube Roller.

Art. No. N2400-7010

List: 6.316 DKK OFFER: 4.896 DKK

Pipette Stands.





ErgoOne® FAST Pipette Controller.


FLEXIBLE, ACCURATE, SAFE TRANSFER



ERGONOMY MEETS MODERNITY Every aspect of the ErgoOne® FAST has been developed with ergonomics in mind.

ErgoOne® FAST Art. No. S7166-0010 List: 3.500 DKK OFFER: 2.669 DKK





- Designed to balance perfectly in the hand for maximum comfort
- Smooth operation via pressure sensitive control buttons
- Fast! Fills a 25 ml pipette in less than 4 seconds
- Long-life battery provides 25 x ~2000 aspiration cycles on a full charge
- Battery life indicator
- Battery maintains constant pipetting speed that does not diminish as battery charge declines
- Can be recharged during use
- Use with all glass or plastic pipettes, 1.0 ml to 100 ml



Benchtop support allows you to place the controller on the bench or hood floor without risk of contamination

ErgoOne® FAST Benchtop Support Art. No: P7166-6306 List: 126 DKK

OFFER: 76 DKK

€ starlab

Discover our range of Serological Pipettes



2

Pressure responsive speed controls



Autoclavable aspiration cone and silicone pipette holder ensures a secure seal for your liquids while the filter protects your pipette

Traffic light hattery life

Traffic light battery life indicator



Easy to replace battery

ts your

ry life Easy



ErgoOne®E Electronic Pipettes.

INCREASE EFFICIENCY IN YOUR LAB

- Easy to use intuitive menu structure
- Lightweight, ergonomic design
- Adjustable finger rest for individual comfort
- Significantly reduced tip loading and ejection forces
- Universal tip fit

Single-Channel ErgoOne[®] E Pipettes

G9001-0010	G9001-0020	G9001-0200	G9001-1000	G9001-5000
0.5 – 10 µl	2.0 – 20 μl	10 – 200 µl	50 – 1, 000 µl	250 - 5,000 μl
List: 5.310 DKK	List: 5.310 DKK	List: 5.310 DKK	List: 5.310 DKK	List: 5.310 DKK
3.959 DKK	3.959 DKK	3.959 DKK	3.959 DKK	3.959 DKK

8-Channel ErgoOne® E Pipettes

G9008-0010	G9008-0020	G9008-0100	G9008-0300	G9008-1250
0.5 – 10 µl	1.0 – 20 µl	5.0 – 100 µl	15 – 300 µl	50 - 1250 µl
List: 10.274 DKK	List: 10.274 DKK	List: 10.274 DKK	List: 10.274 DKK	List: 10.274 DKK
7.261 DKK	7.261 DKK	7.261 DKK	7.261 DKK	7.261 DKK

12-Channel ErgoOne® E Pipettes

G9012-0010	G9012-0020	G9012-0100	G9012-0300	G9012-1250
0.5 – 10 µl	1.0 – 20 µl	5.0 – 100 µl	15 – 300 µl	50 – 1250 µl
List: 11.787 DKK	List: 11.787 DKK	List: 11.787 DKK	List: 11.787 DKK	List: 11.787 DKK
8.665 DKK	8.665 DKK	8.665 DKK	8.665 DKK	8.665 DKK

 $^{1\!j}$ GEL mode is not available on ErgoOne* E models: 1000 μl , 1250 μl , 5000 μl

MULTI-CHANNEL COMBO PACKS! 10 µl to 300 µl multi-channel pipettes supplied with an individual stand (G9999-1004) and one rack of TipOne® pipette tips. 1250 µl models supplied with a pipette shelf holder (G9999-1009) and two racks of TipOne® pipette tips.



ErgoOne® E OPERATING MODES

Pipetting | Reverse Pipetting | Mixing Dispense | Electrophoresis¹⁾

> NEW! 50 – 1250 µl multi-channel pipettes



See page 9 for stands





11



ErgoOne® Manual Pipettes.

ACCURACY AND PRECISION YOU CAN TRUST!

12

Special Offers





0.1–2.5 µl (red) S7100-0125 List: 2.067 DKK	0.5 – 10µl (red) S7100-0510 List: 2.067 DKK	2– 20µl Micro (red) S7100-0221 List: 2.067 DKK	2–20µl (yellow) S7100-0220 List: 2.067 DKK
1.505 DKK	1.505 DKK	1.480 DKK	1.480 DKK
10 – 100 µl (yellow)	20–200 µl (yellow)	100 – 1,000 µl (blue)	500 – 5,000 µl (violet)
S7100-1100	S7100-2200	S7110-1000	S7150-5000
List: 2.067 DKK	List: 2.067 DKK	List: 2.067 DKK	List: 1.956 DKK
1.505 DKK	1.480 DKK	1.505 DKK	1.505 DKK

8-Channel Manual Pipettes

0.5 – 10 µl (red)	10 – 100µl (yellow)	30 – 300 µl (green)
S7108-0510	S7108-1100	\$7108-3300
List: 5.701 DKK	List: 5.701 DKK	List: 5.701 DKK
4.453 DKK	4.453 DKK	4.453 DKK

12-Channel Manual Pipettes

0.5 – 10 µl (red)	10– 100 µl (vellow)	30 – 300 µl (green)
\$7112-0510	\$7112-1100	\$7112-3300
List: 6.415 DKK	List: 6.415 DKK	List: 6.415 DKK
4.668 DKK	5.187 DKK	5.187 DKK

Starlab

for stands

ErgoOne[®] Starter Packs.

Reliability is key so your pipette must be trusted to provide accurate and precise pipetting, day in, day out. ErgoOne® manual pipettes provide you with both the reliability you need and and ergonomic design that prevents fatigue over long periods to help keep your pipetting consistent. ErgoOne® pipettes have tighter specifications than ISO8655, and feature a volume lock to ensure the correct volumes in your reaction.



CONTENTS	STARTERPACK	STARTERPACK42.5	STARTERPACK410			
0.1 – 2.5 μl ErgoOne[®] Single-Ch Pipette S7100-0125						
0.5 – 10 μl ErgoOne® Single-Ch Pipette S7100-0510			•	•	٠	•
2.0 – 20 μl ErgoOne® Single-Ch Pipette, Standard Cone S7100-0220	•	•	•	and S	One® pipe tarlab's tr	rusted
20 – 200 μl ErgoOne® Single-Ch Pipette S7100-2200	•	•	•	creat	ne® pipett e the perf ting partr	ect
100 – 1000 μl ErgoOne® Single-Ch Pipette S7110-1000	•	•	•		•	
TipOne® Pipette Tips (three racks of sterile tips per pack)	•	•	•			
Self-Adhesive Pipette Holder (one holder per pipette supplied)	•	•	•			
Laboratory Timer (one timer per pack)	•	•	•			
OFFER*	4.896 DKK	6.401 DKK	6.401 DKK			



Brady® Printer & Labels.

PRINTER FEATURES

Auto label function cuts according to the size of

Automated serialisation

clear visibility

battery life

Auto shut-off saves

Save up to 12 label styles
Time and date stamp
Three-line LCD display for

133 symbolsBarcoding options

the vial





Brady M210-LAB PRINTER

Blister pack containing Printer, Quick Start Guide, N5127-7425 label cartridge ready installed. Batteries not included. 2-year warranty.

Art. No: N3000-2000

List: 2.315 DKK

OFFER: 1.240 DKK

HIGH QUALITY LABEL MATERIALS DESIGNED FOR THE LAB ENVIRONMENT

Label Cartridge In	formation	& Ordering				Label Applications			
Label material	Colour	Width	Article No.	List	OFFER	Material specifications / applications	Vials	Slides	Plat
B-595	Various ¹⁾	9.5 mm	N3795-439#1)	482 DKK	354 DKK	5	0.5 ml		✓
Vinyl	White	9.5 mm	N3795-4399	482 DKK	354 DKK	Freezer: Min40 °C.	0.5 ml		✓
	White	9.5 mm	N3795-4619	540 DKK	417 DKK	Freezer: Min80 °C. Liquid Nitrogen ²⁾ : -196 °C.	0.5 ml		✓
B-461 Polyester	White	12.7 mm	N5127-4619	628 DKK	481 DKK	Autoclave: 121 °C. Hot Water Baths: 100 °C.	1.5 ml		✓
	White	19.1mm	N7519-4619	1.041 DKK	557 DKK	Barcoding (19.1 mm only) Low profile, extremely thin labels.	2.0 – 50 ml		✓
	White	9.5 mm	N3795-4889	466 DKK	380 DKK		0.5ml	\checkmark	~
B-488 Polyester	White	12.7 mm	N5127-4889	551 DKK	455 DKK	Freezer: Min80 °C. Autoclave: 121 °C. Barcoding (19.1 mm labels only)	1.5 ml	\checkmark	✓
, ,	White	19.1 mm	N7519-4889	975 DKK	519 DKK	Darcourng (19.1 mm tabels only)	2.0 – 50 ml	✓	~
	White	9.5 mm	N3795-4999	366 DKK	316 DKK		0.5 ml	✓	✓
B-499 Nylon	White	12.7 mm	N5127-4999	403 DKK	329 DKK	Freezer: Min80 °C. Liquid Nitrogen ²⁾ : -196 °C. Autoclave 121 °C.	1.5ml	✓	~
	White	19.1 mm	N7519-4999	798 DKK	430 DKK	Autoclave IZI C.	2.0 – 50 ml	✓	✓
	White	9.5 mm	N3795-7425	473 DKK	392 DKK	Freezer: Min80 °C.	0.5 ml	\checkmark	√
B-7425 Polypropylene	White	12.7 mm	N5127-7425	700 DKK	443 DKK	Liquid Nitrogen ²⁾ : -196 °C. Autoclave: 121 °C. Hot Water Baths: 100 °C.	1.5 ml	\checkmark	~
	White	19.1 mm	N7519-7425	1.021 DKK	544 DKK	Barcoding (19.1 mm only)	2.0 – 50 ml	\checkmark	~
B-423 Polyester	White	19.1 mm	N7519-4239	973 DKK	493 DKK	Freezer: Min80 °C. Autoclave: 121 °C. Hot Water Bath: 100 °C Barcoding	2.0 – 50 ml	~	~
B-430 Polyester	Clear	19.1 mm	N7519-4300	973 DKK	493 DKK	Freezer: Min80 °C. Autoclave: 121 °C. Hot Water Bath: 100 °C Barcoding	2.0 – 50 ml	✓	~
B-403 Paper Water Dissolvable	White	19.1 mm	N7519-4039	787 DKK	405 DKK	For temporary labelling/barcoding. Dissolves within 30 seconds of contact with warm water.	Erlenmeyers container tha frequent re-l	t requires	able

To order colour required, replace # as last digit of Article No. with: 1 for blue, 2 for green, 4 for red, 6 for yellow.

²⁾ Acceptable for use in liquid nitrogen only if the ends of the label overlap.

All labels 6.4 m long, except B-499 Nylon which are 4.8 m long. All suitable for use with Brady printers: LabPal[®], BMP[™]21, BMP[™]21, PLUS and M210-LAB.



14 Special Offers

• •

Erlenmeyer Flasks.



DESIGNED TO BE REUSED

Ideal for the cultivation of bacteria, yeast and fungi, as well as plant and animal cells in suspension. Autoclavable and reusable.

PRODUCT FEATURES:

- Optically clear polycarbonate flasks
- Moulded graduations for easy volume measurement
- Leakproof and shatterproof
- Dual-function, vented polypropylene cap provides sterile air exchange or a tight seal
- Suitable for use for both aerobic and anaerobic cultures
- 0.22 μm PTFE cap membrane
- Compatible with standard shaking incubator tables and clamps
- Individually-wrapped
- Sterility level (SAL 10⁻⁶) fulfils the highest demands
- Certified RNase, DNase, DNA and Pyrogen free
- Autoclavable and reusable up to 10 times

	Description	Pack Size	Art. No.	List Price	OFFER*
	Description	T dek 512e	AIG NO.	LISTINCC	OFFER
AT	125 ml Erlenmeyer Flask, Flat	24	E5000-1012	2.146 DKK	1.824 DKK
SE	250 ml Erlenmeyer Flask, Flat	12	E5000-1025	1.416 DKK	1.203 DKK
	500 ml Erlenmeyer Flask, Flat	12	E5000-1050	1.857 DKK	1.578 DKK
	1000 ml Erlenmeyer Flask, Flat	6	E5000-1100	1.298 DKK	1.025 DKK
	2000 ml Erlenmeyer Flask, Flat	6	E5000-1200	1.641 DKK	1.290 DKK
	3000 ml Erlenmeyer Flask, Flat	3	E5000-1300	1.965 DKK	1.543 DKK
FFLED	125 ml Erlenmeyer Flask, Baffled	24	E5001-1012	2.146 DKK	1.824 DKK
SE	250 ml Erlenmeyer Flask, Baffled	12	E5001-1025	1.416 DKK	1.203 DKK
	500 ml Erlenmeyer Flask, Baffled	12	E5001-1050	1.857 DKK	1.578 DKK
	1000 ml Erlenmeyer Flask, Baffled	6	E5001-1100	1.298 DKK	1.025 DKK
and a second	2000 ml Erlenmeyer Flask, Baffled	6	E5001-1200	1.641 DKK	1.290 DKK
	3000 ml Erlenmeyer Flask, Baffled	3	E5001-1300	1.965 DKK	1.543 DKK



DUAL-FUNCTION CAPS

Polypropylene caps with a 0.22 µm PTFE membrane, ideal for both aerobic and anaerobic cultures. Remove the top section to allow sterile exchange, and then replace when ready. Avoid contamination risk and the hassle of switching caps and stock only one flask type for all cultures.

FL/

BA

BA



5.0 ml Tips for ErgoOne® E.

OPTIMAL TIP FIT

Ideal for delicate pipetting out of tall and narrow vessels, these 5.0 ml tips are provided in an easy-to-handle round rack.

PRODUCT FEATURES:

- Slim design: 160 mm long and approx. 9.6 mm in diameter, these tips are perfect for pipetting from tall and narrow vessels
- Compatible with ErgoOne[®] E, Brand[®] and Finnpipette[®]
- Certified RNase, DNA and ATP free

Art. No: E1070-2607 Pack size: 1 x 28-tip rack List: 446 DKK

OFFER: 190 DKK



5.0 ml ErgoOne® E electronic pipette.

ErgoOne"

G9001-5000 250 – 5,000 µl ErgoOne® E List: List: 5.310 DKK **OFFER: 3.959 DKK**

See page 11 for the full range of ErgoOne® E pipettes on offer.

*Offer prices valid until

Distributed by:	• • •							
Distributed by: Company name Saveen & Werner	AVEEN							
Tel: +45 86 20 16 16 eMail: info@swab.dk www.swab.dk	WERNER							
• • •	• • •					\wedge		



Passionate for science.