Stock up now because your research can't wait. You are passionate for science.

SPECIAL OFFERS

Pipettes & Lab Equipment

SWEDEN / NORWAY


Valid until 2024-12-13







GuardOne® Workstation.



from: 41,094 kr

AVOID CROSS-CONTAMINATION & THE RISK OF DUPLICATING WORK

Protect your valuable samples and reagents¹⁾ to help prevent both the extra time, cost and waste involved when having to duplicate contaminated work. Starlab's GuardOne® Workstation provides the ideal clean and controlled environment. GuardOne® is perfect for your PCR / qPCR applications or any other application that requires a controlled, clean environment.

GuardOne® has been designed with convenience in mind. All functions are controlled via the glove compatible, easy to use touchscreen. Tool-free HEPA filter exchange and UV lamp exchange in just 2 minutes!

DESIGNED WITH THE ENVIRONMENT **IN MIND**

Long-life consumables reduces waste. Minimal packaging volume reduces transportion needs. Minimal power consumption.











| Dead Air Workstation 32" |
|-----------------------------|
| S8040-1000 |
| List: 51.921 kr |
| 41 094 kr |

| Dead Air Workstation 48" |
|-----------------------------|
| S8040-1001 |
| List: 119.757 kr |
| 52.136 kr |





65.093 kr



- One-touch QuickStart / QuickStop settings
- Efficient UV_{245 nm} decontamination with timer function
- Efficient, class H14 HEPA filter with pre-filter provides ISO class 5 working environment²⁾
- Real-time airflow measurement²⁾
- Life-span monitoring of consumables
- Virtually maintenance-free
- Easy to clean
- Easy, tool-free 15-minute assembly

¹⁾GuardOne® is not designed to protect the user. 2)Laminar flow models only.



Starlab Vortex Mixer.





GREAT FEATURES. GOOD VIBRATIONS!

The new Starlab Vortex Mixer is ideal for the gentle mixing of samples right up to vigorous vortex mixing and the resuspending of cells or chemical pellets.

- Unique, glove compatible touch screen
- Precise vortexing speeds (300 to 3,500 rpm)
- One-touch pre-set options for speed / time
- Touch or continuous operation
- End of run audible alarm
- Power-saving sleep mode
- Optional adapters available separately to mix up to 15 microcentrifuge tubes or one microplate (up to 1,500 rpm)

Vortex Mixer.

Art. No. S8010-0000

List: 5.585 kr

OFFER: 4.319 kr



ANTI-SLIP FEET

provides stability on the bench during mixing



The Starlab Aspirator.

USE TWO HAND CONTROLLERS WITHOUT ANY LOSS OF PERFORMANCE

- Powerful pump that can operate two hand controllers without any loss of performance
- Auto ON-OFF pump switch
- Low noise emission for a quieter working environment
- Supplied with everything you need to get started
- Versatile! A whole range of accessories also available
- The perfect partner for use with Starlab's bottle top filtration system

Aspirator

Art. No. N2400-9000

List: 27.198 kr

OFFER: 22.065 kr

N2400-9000 includes everything you need to get started: Aspirator. 4 Litre Polypropylene Bottle with Protection Filter and Inlet Pipe. Hand Controller, including 2.5 m Tubing, a Wall Mount, an Adapter for Pipettes, and an Adapter for Pipette Tips.

DESIGNED FOR THE SAFE AND EFFICIENT ASPIRATION OF FLUIDS

- Vacuum level and suction power is adjustable in 8 steps (150 to 850 mbar) for safe and reproducible working
- The chemically-resistant pump automatically switches on/off to reduce noise level in the workplace
- You can also use the Aspirator as a mobile vacuum source for sterile filtration and solid phase extraction
- Additional hand controllers and a range of other accessories are available. See website for details

Discover our range of Aspiration Pipettes





The Minicentrifuge.

iust close the lid to start spinning!



ONE-TOUCH STOP for fast braking and lid release

AHEAD OF THE CURVE!

Ideal for all your quick spin-downs, the Starlab Minicentrifuge is not all about style, it also has substance! This is a compact and solid unit that delivers a quiet, smooth operation and a maximum speed of 6,500 rpm.

- Quick start on lid closure
- Magnetic lid lock
- One-touch STOP for fast braking and automatic lid release

SUPPLIED WITH TWO ROTORS





Tube Rotor holds up to eight microcentrifuge tubes or eight conical or skirted screw cap microtubes





PCR Strip Rotor holds two, 0.2 ml 8-strips or 32 x 0.2 ml single tubes.



Minicentrifuge.

Art. No. S8030-5000

List: 4.138 kr

OFFER: 3.000 kr



The versatile Mixer HC.

ONE SMALL DEVICE. SO MANY USES.

The Mixer HC is a smart bit of kit that does the work of several other pieces of equipment in the lab. Easy to use and to program, the Mixer HC will become an invaluable benchtop companion to help speed up your laboratory tasks. You will wonder how you ever managed without one!

MIXING

up 1,500 rpm

HEATING up 99 °C

COOLING to 13 °C below room temperture



TIMING

1 min to 99:59 hours

FUNCTIONAL

Alternate between mixing and resting. Create your own protocols. Or instant mixing at the push of a button

Mixer HC

Art. No. \$8012-0000 (Excludes Thermoblock)

List: 34.811 kr

OFFER: 24,089 kr



WATCH VIDEO

NINE EXCHANGEABLE THERMOBLOCKS

Use the Mixer HC with all popular tubes and plates.



24 x 0.5 ml Microcentrifuge Tubes

S8012-0010 1) List: 8.028 kr

6.235 kr



24 x 1.5 ml Microcentrifuge Tubes

S8012-0011¹⁾ List: 8.028 kr

6.235 kr



24 x 2.0 ml Microcentrifuge Tubes, **Round Bottoms**

S8012-0012 1) List: 8.028 kr

6.235 kr



24 x 2.0 ml Microcentrifuge Tubes Ø 12 mm, V-Bottoms

58012-0013 List: 10.919 kr

7.735 kr



8 x 5.0 ml **Preparation Tubes**

S8012-0014 List: 8.028 kr

6.235 kr



8 x 15 ml Conical Centrifuge Tubes

S8012-0015

List: 8.028 kr 6.235 kr

List: 8.028 kr



4 x 50 ml Conical **Centrifuge Tubes**

58012-0016

6.235 kr



List: 8.028 kr 6.235 kr



Micro/Deepwell Plate, with Lid

S8012-0018 List: 10.004 kr

7.735 kr



Adapter Plate 96 x 0.2 ml Tubes or one PCR plate (Use with S8012-0018)

58012-0019 List: 2.824 kr

2.114 kr

ISO-Rack:

24 x 0.5 ml Microcentrifuge Tubes 58012-0020

List: 1.244 kr

867 kr

ISO-Rack: 24 x 1.5/2.0 ml Microcentrifuge

> S8012-0021 List: 1.244 kr

867 kr

Tubes

1) Includes ISO Rack, Tubes not included.



Shaking & Mixing.

ESSENTIAL EQUIPMENT FOR DAILY TASKS

Oribtal Shaker.



- Speed range: 100–500 rpm
- LCD displays for speed & time
- Continuous or timed mixing
- Supplied without platform

Orbital Shaker

Art. No: N2400-8030 (excludes platform)

List: 15.229 kr

OFFER: 12.108 kr

3D/Rocking Shakers.



- See saw rocking or 3D mixing
- Speed range: 10 –70 rpm
- LCD displays for speed & time
- Continuous or timed mixing.
- Supplied with platform with bungee cords

Rocking Shaker Art. No: N2400-8010

List: 17.330 kr

OFFER: 13.770 kr



Platform with clamping rolls

(for use with Orbital, 3D and Rocking Shakers)

Art. No: N2400-8011

List: 4.186 kr

OFFER: 3.289 kr



Platform with rubber mat and bungee cords (for use with Orbital, 3D and Rocking Shakers)

Art. No: N2400-8021

List: 4.178 kr

OFFER: 3.289 kr

3D Rocking Shaker

Art. No: N2400-8020

List: 17.330 KR

OFFER: 13.770 kr





Rotator Mixer.

Art. No. N2400-5000

List: 15.040 kr

OFFER: 9.271 kr

- Controlled sample inverting
- Speed range: 1 100 rpm
- Programmable
- Three different motions
- Variable speed and timer
- Low profile and small footprint



Vertical Rotation

360° vertical motion for time period of 0–250 seconds, or non-stop.



Reciprocal Motion

Platform direction changes in turns (turning angle 1 – 90°) for 0 – 250 seconds, or non-stop.



Vibration

Same as reciprocal motion, plus additional vibration (turning angle 1–5° for 1–5 seconds.



Pause

Platform direction changes in turns, incl. a temporary motion stop of 1–5 seconds (in conjuntion with reciprocal motion only).



Mixing & Stirring.

ESSENTIAL EQUIPMENT FOR DAILY TASKS



Use for mixing and shaking any skirted plate with a SBS footprint, and for resuspending pellets.

- Speed range: 0 1500 rpm
- Stepless speed control
- Range of accessories available

Microplate Mixer.

Art. No. N2400-8040

List: 6.192 kr

OFFER: 4.789 kr



An economical magnetic stirrer.

- Speed range: 100 1500 rpm
- Stirring volume up to 3 litres
- Supplied with 1 x 40 mm stir bar

Magnetic Stirrer.

Art. No. N2400-2010

List: 2.795 kr

OFFER: 2.132 kr



Fast temperature ramping saves you time!

- Speed range: 200 1500 rpm.
- Temperature range: ambient to 280 °C (1°C increments)
- Stirring volume up to 3 litres
- Supplied with 1 x 40 mm stir bar

Magnetic Stirrer with Heating.

Art. No. N2400-3010

List: 5.421 kr

OFFER: 4.120 kr



Rolling.



Built for continuous operation. Suitable for applications such as hybridisation.

- Simultaneous rolling and tilting motion
- Speed control up to 70 rpm
- Six rollers holds load up to 4 kg

Tube Roller.

Art. No. N2400-7010

List: 9.023 kr

OFFER: 6.994 kr

Pipette Stands.



ErgoOne® Universal Carousel Stand for up to 8 pipettes (UV Resistant)

For use with: ErgoOne®, Biohit®, Finn®, Gilson®, Rainin® single or multichannel pipettes

S7200-0000 List: 2.031 kr 1.645 kr



Universal Acrylic Pipette Stand for up to 5 pipettes (UV Resistant)

For use with: ErgoOne®, Biohit®, Finn®, Eppendorf®, Gilson®, Rainin® single or multi-channel pipettes

E3099-0000 List: 1.101 kr 633 kr



ErgoOne® Self-Adhesive Shelf Holder for 1 pipette (UV Resistant)

For ErgoOne® single or multi-channel pipettes

ErgoOne® Wall Mount

For use with: ErgoOne®,

Eppendorf®, Finn®, Gilson®,

Rainin®, Sartorius® single or

multi-channel pipettes with

for 1 pipette (UV Resistant)

E3099-0001 List: 87 kr 54 kr

S7200-0001

List: 227 kr



ErgoOne® Bench Support for 1 pipette

For ErgoOne® single-channel pipettes

E3099-0002 List: 231 kr 163 kr

Pack of 5.



ErgoOne® E Charging Stand for up to 3 pipettes

For EraoOne® E single-channel pipettes (excluding 5 ml)

G9999-1001 List: 5.702 kr

3.506 kr



ErgoOne® E Individual Stand for 1 single-channel pipette

10 ul to 1000 ul G9999-1002 List: 1.016 kr 723 kr

for 1 pipette

all volumes

finger hook

G9999-1003 List: 1.346 kr 831 kr

G9999-1009

List: 403 kr

271 kr



ErgoOne® E Individual Stand for 1 multi-channel pipette

For ErgoOne® E multi-channel pipettes (excluding 1250 µl)

G9999-1004 List: 686 kr 416 kr



For ErgoOne® E single or multi-channel pipettes, all volumes

for 1 pipette

ErgoOne® E Wall Mount

G9999-1010 List: 877 kr 596 kr

Pipettes not included.



ErgoOne® E Individual Stand for 1 pipette


ErgoOne® E Shelf-Holder

For ErgoOne® E single or

multi-channel pipettes.

For ErgoOne® E single or multi-channel pipettes. all volumes

G9999-1011 List: 2.005 kr 1.355 kr





ErgoOne® FAST Pipette Controller.

FLEXIBLE, ACCURATE, SAFE TRANSFER



ERGONOMY MEETS MODERNITY

Every aspect of the ErgoOne® FAST has been developed with ergonomics in mind.

ErgoOne® FAST

Art. No. S7166-0010

List: 5.073 kr

OFFER: 3.813 kr



Discover our range of Serological Pipettes





Pressure responsive speed controls



Autoclavable aspiration cone and silicone pipette holder ensures a secure seal for your liquids while the filter protects your pipette



Traffic light battery life indicator



Easy to replace battery

- Lightweight and ergonomic
- Designed to balance perfectly in the hand for maximum comfort
- Smooth operation via pressure sensitive control buttons
- Fast! Fills a 25 ml pipette in less than 4 seconds
- Long-life battery provides 25 x ~2000 aspiration cycles on a full charge
- Battery life indicator
- Battery maintains constant pipetting speed that does not diminish as battery charge declines
- Can be recharged during use
- Use with all glass or plastic pipettes,1.0 ml to 100 ml



Benchtop support allows you to place the controller on the bench or hood floor without risk of contamination

ErgoOne® FAST Benchtop Support

Art. No: P7166-6306

List: 181 kr

OFFER: 108 kr



ErgoOne®E Electronic Pipettes.

INCREASE EFFICIENCY IN YOUR LAB

- Easy to use intuitive menu structure
- Lightweight, ergonomic design
- Adjustable finger rest for individual comfort
- Significantly reduced tip loading and ejection forces
- Universal tip fit

ErgoOne® E

from: 5.656 kr

Single-Channel ErgoOne® E Pipettes

| G9001-0010 | G9001-0020 | G9001-0200 | G9001-1000 | G9001-5000 |
|--------------------|--------------------|--------------------|-----------------------|-----------------------|
| 0.5 – 10 μl | 2.0 – 20 μl | 10 – 200 μl | 50 – 1 ,000 µl | 250 – 5,000 μl |
| List: 6.852 kr | List: 6.852 kr | List: 6.852 kr | List: 6.852 kr | List: 6.852 kr |
| 5.656 kr | 5.656 kr | 5.656 kr | 5.656 kr | 5.656 kr |

8-Channel ErgoOne® E Pipettes

| G9008-0010 | G9008-0020 | G9008-0100 | G9008-0300 | G9008-1250 |
|--------------------|-----------------|---------------------|-----------------|---------------------|
| 0.5 – 10 μl | 1.0 – 20 µl | 5.0 – 100 μl | 15 – 300 µl | 50 – 1250 μl |
| List: 13.096 kr | List: 13.096 kr | List: 13.096 kr | List: 13.096 kr | List: 13.096 kr |
| 10.373 kr | 10.373 kr | 10.373 kr | 10.373 kr | 10.373 kr |

12-Channel ErgoOne® E Pipettes

| G9012-0010 | G9012-0020 | G9012-0100 | G9012-0300 | G9012-1250 |
|--------------------|-----------------|---------------------|-----------------|---------------------|
| 0.5 – 10 μl | 1.0 – 20 µl | 5.0 – 100 μl | 15 – 300 µl | 50 – 1250 μl |
| List: 15.024 kr | List: 15.024 kr | List: 15.024 kr | List: 15.024 kr | List: 16.159 kr |
| 12.376 kr | 12.376 kr | 12.376 kr | 12.376 kr | 12.376 kr |

 $^{^{1\!}j}$ GEL mode is not available on ErgoOne® E models: 1000 μl , 1250 μl , 5000 μl .

MULTI-CHANNEL COMBO PACKS! 10 μI to 300 μI multi-channel pipettes supplied with an individual stand (G9999-1004) and one rack of TipOne® pipette tips. 1250 μI models supplied with a pipette shelf holder (G9999-1009) and two racks of TipOne® pipette tips.



See page 9 for stands



ErgoOne® Manual Pipettes.

See page for stands

2-20 ul (vellow)

ACCURACY AND PRECISION YOU CAN TRUST!

- Ergonomic and lightweight
- Minimal operating forces
- Volume lock
- Universal tip fit (excl. 5.0 ml)
- Colour coded

ErgoOne®

from: 2.151 kr



Single-Channel Manual Pipettes

0.1-2.5 ul (red)

0.5 - 10 ul (red)

| S7100-0125 | S7100-0510 | S7100-0221 | S7100-0220 |
|-----------------------------|----------------------|------------------------------|-------------------------|
| List: 2.954 kr | List: 2.954 kr | List: 2.954 kr | List: 2.954 kr |
| 2.151 kr | 2.151 kr | 2.114 kr | 2.114 kr |
| 10 – 100 μl (yellow) | 20 – 200 µl (yellow) | 100 – 1,000 µl (blue) | 500 – 5,000 µl (violet) |
| S7100-1100 | S7100-2200 | S7110-1000 | S7150-5000 |
| List: 2.954 kr | List: 2.954 kr | List: 2.954 kr | List: 2.794 kr |
| 2.151 kr | 2.114 kr | 2.151 kr | 2.151 kr |

2-20 ul Micro (red)

8-Channel Manual Pipettes

| 0.5 – 10 μl (red) | 10 – 100 μl (yellow) | 30 – 300 µl (green) |
|-------------------|----------------------|---------------------|
| S7108-0510 | S7108-1100 | \$7108-3300 |
| List: 8.263 kr | List: 8.263 kr | List: 8.263 kr |
| 6.361 kr | 6.361 kr | 6.361 kr |

12-Channel Manual Pipettes

| $0.5 - 10 \mu l$ (red) | 10 – 100 µl (yellow) | 30 – 300 µl (green) |
|------------------------|----------------------|---------------------|
| S7112-0510 | S7112-1100 | S7112-3300 |
| List: 9.298 kr | List: 9.298 kr | List: 9.298 kr |
| 6.668 kr | 7.409 kr | 7.409 kr |



ErgoOne® Starter Packs.

Reliability is key so your pipette must be trusted to provide accurate and precise pipetting, day in, day out. ErgoOne® manual pipettes provide you with both the reliability you need and and ergonomic design that prevents fatigue over long periods to help keep your pipetting consistent. ErgoOne® pipettes have tighter specifications than ISO8655, and feature a volume lock to ensure the correct volumes in your reaction.

OFFER*

| specifications than ISO8655, and feature a volume lock to | o ensure the correct volume | s in your reaction. | |
|--|-----------------------------|---------------------|----------------|
| CONTENTS | STARTERPACK | STARTERPACK42.5 | STARTERPACK410 |
| 0.1 – 2.5 μl ErgoOne® Single-Ch Pipette S7100-0125 | | • | |
| 0.5 – 10 μl ErgoOne® Single-Ch Pipette S7100-0510 | | | • |
| 2.0 – 20 μl ErgoOne® Single-Ch Pipette, Standard Cone S7100-0220 | • | • | • |
| 20 – 200 μl ErgoOne® Single-Ch Pipette S7100-2200 | • | • | • |
| 100 – 1000 μl ErgoOne® Single-Ch Pipette S7110-1000 | • | • | • |
| TipOne® Pipette Tips (three racks of sterile tips per pack) | • | • | • |
| Self-Adhesive Pipette Holder (one holder per pipette supplied) | • | • | • |
| Laboratory Timer (one timer per pack) | • | • | • |
| | | | |

6.994 kr

9.144 kr

9.144 kr

ErgoOne® pipettes and Starlab's trusted TipOne® pipette tips create the perfect pipetting partnership.



Brady® Printer & Labels.







Brady M210-LAB PRINTER

Blister pack containing Printer, Quick Start Guide, N5127-7425 label cartridge ready installed. Batteries not included. 2-year warranty.

Art. No: N3000-2000

List: 2.849 kr

OFFER: 1.771 kr

PRINTER FEATURES

- 133 symbols
- Barcoding options
- Auto label function cuts according to the size of the vial
- Automated serialisation
- Save up to 12 label styles
- Time and date stamp
- Three-line LCD display for clear visibility
- Auto shut-off saves battery life

HIGH QUALITY LABEL MATERIALS DESIGNED FOR THE LAB ENVIRONMENT

| Label Cartridge In | formation | & Ordering | | | | Label Applications | | | |
|----------------------------------|-----------------------|------------|--------------|----------|--------|--|--|------------|--------|
| Label material | Colour | Width | Article No. | List | OFFER | Material specifications / applications | Vials | Slides | Plates |
| B-595 | Various ¹⁾ | 9.5 mm | N3795-439#1) | 613 kr | 506 kr | Freezer: Min40 °C. | 0.5 ml | | ✓ |
| Vinyl | White | 9.5 mm | N3795-4399 | 613 kr | 506kr | Freezer. Mill40 C. | 0.5 ml | | ✓ |
| | White | 9.5 mm | N3795-4619 | 686 kr | 596 kr | Freezer: Min80 °C. Liquid Nitrogen ²⁾ : -196 °C. | 0.5 ml | | ✓ |
| B-461 Polyester | White | 12.7 mm | N5127-4619 | 801 kr | 687 kr | Autoclave: 121 °C. Hot Water Baths: 100 °C. | 1.5 ml | | ✓ |
| , | White | 19.1mm | N7519-4619 | 1.487 kr | 795 kr | Barcoding (19.1 mm only) Low profile, extremely thin labels. | 2.0 – 50 ml | | ✓ |
| | White | 9.5 mm | N3795-4889 | 666 kr | 542 kr | | 0.5ml | ✓ | ✓ |
| B-488 Polyester | White | 12.7 mm | N5127-4889 | 787 kr | 651 kr | Freezer: Min80 °C. Autoclave: 121 °C. Barcoding (19.1 mm labels only) | 1.5 ml | ✓ | ✓ |
| , | White | 19.1 mm | N7519-4889 | 1.393 kr | 741 kr | Barcouring (19.1 mm tabels only) | 2.0 – 50 ml | ✓ | ✓ |
| | White | 9.5 mm | N3795-4999 | 529 kr | 452 kr | | 0.5 ml | ✓ | ✓ |
| B-499 Nylon | White | 12.7 mm | N5127-4999 | 575 kr | 470 kr | Freezer: Min80 °C. Liquid Nitrogen ²⁾ : -196 °C. Autoclave 121 °C. | 1.5ml | ✓ | ✓ |
| , | White | 19.1 mm | N7519-4999 | 1.141 kr | 614 kr | — Autoclave 121 °C. | 2.0 – 50 ml | ✓ | ✓ |
| | White | 9.5 mm | N3795-7425 | 672 kr | 560 kr | Freezer: Min80 °C. | 0.5 ml | ✓ | ✓ |
| B-7425 Polypropylene | White | 12.7 mm | N5127-7425 | 1.000 kr | 633 kr | Liquid Nitrogen ²⁾ : -196 °C. Autoclave: 121 °C. Hot Water Baths: 100 °C. | 1.5 ml | ✓ | ✓ |
| , p | White | 19.1 mm | N7519-7425 | 1.459 kr | 777 kr | Barcoding (19.1 mm only) | 2.0 – 50 ml | ✓ | ✓ |
| B-423 Polyester | White | 19.1 mm | N7519-4239 | 1.389 kr | 705 kr | Freezer: Min80 °C. Autoclave: 121 °C. Hot Water Bath: 100 °C Barcoding | 2.0 – 50 ml | ✓ | ✓ |
| B-430 Polyester | Clear | 19.1 mm | N7519-4300 | 1.389 kr | 705 kr | Freezer: Min80 °C. Autoclave: 121 °C. Hot Water Bath: 100 °C Barcoding | 2.0 – 50 ml | ✓ | ✓ |
| B-403 Paper Water Dissolvable | White | 19.1 mm | N7519-4039 | 1.124 kr | 578 kr | For temporary labelling/barcoding. Dissolves within 30 seconds of contact with warm water. | Erlenmeyers container tha frequent re-la | t requires | sable |

¹⁾To order colour required, replace # as last digit of Article No. with: 1 for blue, 2 for green, 4 for red, 6 for yellow.
²⁾ Acceptable for use in liquid nitrogen only if the ends of the label overlap.



All labels 6.4 m long, except B-499 Nylon which are 4.8 m long. All suitable for use with Brady printers: LabPal™, BMP™21, BMP™21-PLUS and M210-LAB.

Erlenmeyer Flasks.



DESIGNED TO BE REUSED

Ideal for the cultivation of bacteria, yeast and fungi, as well as plant and animal cells in suspension. Autoclavable and reusable.

PRODUCT FEATURES:

- Optically clear polycarbonate flasks
- Moulded graduations for easy volume measurement
- Leakproof and shatterproof
- Dual-function, vented polypropylene cap provides sterile air exchange or a tight seal
- Suitable for use for both aerobic and anaerobic cultures
- 0.22 µm PTFE cap membrane
- Compatible with standard shaking incubator tables and clamps

Individually-wrapped

Sterility level (SAL 10-6) fulfils the highest demands

Certified RNase, DNase, DNA and Pyrogen free

Autoclavable and reusable up to 10 times

| | Description | Pack Size | Art. No. | List Price | OFFER* |
|---------|-----------------------------------|-----------|------------|------------|----------|
| FLAT | 125 ml Erlenmeyer Flask, Flat | 24 | E5000-1012 | 3.065 kr | 2.605 kr |
| BASE | 250 ml Erlenmeyer Flask, Flat | 12 | E5000-1025 | 2.022 kr | 1.718 kr |
| | 500 ml Erlenmeyer Flask, Flat | 12 | E5000-1050 | 2.653 kr | 2.255 kr |
| /1 | 1000 ml Erlenmeyer Flask, Flat | 6 | E5000-1100 | 1.855 kr | 1.464 kr |
| | 2000 ml Erlenmeyer Flask, Flat | 6 | E5000-1200 | 2.344 kr | 1.843 kr |
| | 3000 ml Erlenmeyer Flask, Flat | 3 | E5000-1300 | 2.808 kr | 2.205 kr |
| BAFFLED | 125 ml Erlenmeyer Flask, Baffled | 24 | E5001-1012 | 3.065 kr | 2.605 kr |
| BASE | 250 ml Erlenmeyer Flask, Baffled | 12 | E5001-1025 | 2.022 kr | 1.718 kr |
| | 500 ml Erlenmeyer Flask, Baffled | 12 | E5001-1050 | 2.635 kr | 2.255 kr |
| AN | 1000 ml Erlenmeyer Flask, Baffled | 6 | E5001-1100 | 1.855 kr | 1.464 kr |
| | 2000 ml Erlenmeyer Flask, Baffled | 6 | E5001-1200 | 2.344 kr | 1.843 kr |
| | 3000 ml Erlenmeyer Flask, Baffled | 3 | E5001-1300 | 2.808 kr | 2.205 kr |
| | | | | | |



DUAL-FUNCTION CAPS

Polypropylene caps with a 0.22 μm PTFE membrane, ideal for both aerobic and anaerobic cultures. Remove the top section to allow sterile exchange, and then replace when ready. Avoid contamination risk and the hassle of switching caps and stock only one flask type for all cultures.



5.0 ml Tips for ErgoOne® E.

OPTIMAL TIP FIT

Ideal for delicate pipetting out of tall and narrow vessels, these 5.0 ml tips are provided in an easy-to-handle round rack.

PRODUCT FEATURES:

- Slim design: 160 mm long and approx. 9.6 mm in diameter, these tips are perfect for pipetting from tall and narrow vessels
- Compatible with ErgoOne® E, Brand® and Finnpipette®
- Certified RNase, DNA and ATP free

Art. No: **E1070-2607** Pack size: 1 x 28-tip rack List: 646 kr

OFFER: 272 kr





G9001-5000

250 - 5,000 µl ErgoOne® E

List: List: 6.852 kr

OFFER: 5.656 kr

See page 11 for the full range of ErgoOne® E pipettes on offer.



*Offer prices valid until

Distributed by:

Company name Saveen & Werner

Tel: +46 40 510000 / +47 22 22 87 87 eMail: info@swab.se / info@swab.no www.swab.se I www.swab.no



